



07 Downlights Adjustable LED>The COB Square Downlights Die cast

51240B/W/W



2x40W COB LED Recessed adjustable downlight, COB square range, IP20.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions






Physical Specification

Item Group	07 Downlights Adjustable LED
Family	The COB Square Downlights Die cast
Order Code	51240B/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	340mm
Width	185mm
Height	140mm
Cutout Hole Width	320mm
Cutout Hole Length	165mm
Recessed Ceiling	Yes

Depth Required	170mm
Indoor	Yes
Adjustable	2 Directions


Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	2x40W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	1000mA
Safety Class	
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Sanan

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes

60 Hz
Power Factor
Constant Current
1000mA
IP Rating
Safety Class
Dimmable
Housing Material

Yes
0,9
Yes
0
IP20

No
Plastic

Illumination Data

Colour Temperature

3000K

Lumen Output

2x3200lm

Light Efficiency

80lm/W

CRI

80

Beam Angle

36°

Illumination Diagram



Packing Info

Pcs/Carton

4

Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

