

Product Datasheet

www.1-light.eu

17 Hotel & Bedroom>Reading Spots

61132A/W/W



3W Reading light + 6W Base LED Decorative desk lamp with On/Off switch and Eu plug.

Complete with drivers. Complete with black, brass & white reflectors.

Complies with standard EN60598-1 and any other specific standards.



Downloads







Dimensions



Gallery



Physical Specification

Item Group	17
Family	Re
Order Code	61
Colour	VVh
Material	Me
Shape	Cir
Height	44:

7 Hotel & Bedroom

Reading Spots

61132A/W/W

White

Metal + Aluminium

Circular

445mm

Diameter	120mm
Surface Floor/Ground	Yes
Indoor	Yes
Adjustable	2 Directions
ectrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	3W + 6W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Safety Class	
IP Rating	IP20
Light Source	LED built in
LED Type	SMD
LED Brand	Bridgelux
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes

60 Hz	Yes
Power Factor	0,9
Constant Current	Yes
150mA	0
700mA	0
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	EAGLERISE
umination Data	
umination Data	
Colour Temperature	3000K
	3000K 150lm + 420lm
Colour Temperature	
Colour Temperature Lumen Output	150lm + 420lm
Colour Temperature Lumen Output CRI	150lm + 420lm 90
Colour Temperature Lumen Output CRI Illumination Diagram	150lm + 420lm 90
Colour Temperature Lumen Output CRI	150lm + 420lm 90
Colour Temperature Lumen Output CRI Illumination Diagram	150lm + 420lm 90
Colour Temperature Lumen Output CRI Illumination Diagram acking Info	150lm + 420lm 90
Colour Temperature Lumen Output CRI Illumination Diagram acking Info Box Weight	150lm + 420lm 90 1.483kg
Colour Temperature Lumen Output CRI Illumination Diagram acking Info Box Weight Pcs/Carton	150lm + 420lm 90 1.483kg

Certification & Warranty

switch to one light!

