



13 Plafo>The Floating Backlit Plafo CCT V

62002BD/B/V



30W+3W CCT Variable LED backlit plafo.

Supplied with TRIAC dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	13 Plafo
Family	The Floating Backlit Plafo CCT V
Order Code	62002BD/B/V
Colour	Black
Material	ABS + PC
Shape	Circular
Height	41mm
Diameter	400mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W+3W
IP Rating	IP20
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	

Fitting	
Input Type	Constant Current
Safety Class	
IP Rating	IP20
Light Source	LED built in
LED Type	SMD
F Mark	

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
IP Rating	IP20
Safety Class	

Illumination Data

Colour Code	2700K-3200K-4000K
Lumen Output	2880lm
Light Efficiency	87,27lm/W
CRI	90
Illumination Diagram	

Packing Info

Box Weight	1.500kg
Pcs/Carton	10

Certification & Warranty

Warranty	3 Years
Weee Directive	Yes

switch to
one light!

