

13 Plafo>The Floating Backlit Plafo CCT V

62002C/B/V



38W+4W CCT Variable LED backlit plafo.

Supplied with non-dimmable driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	13 Plafo
Family	The Floating Backlit Plafo CCT V
Order Code	62002C/B/V
Colour	Black
Material	ABS + PC
Shape	Circular
Height	41mm
Diameter	500mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

38W+4W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Safety Class



IP Rating

IP20

Light Source

LED built in

LED Type

SMD

F Mark



Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

IP Rating

IP20

Safety Class



Dimmable

No

## Illumination Data

Colour Code

2700K-3200K-4000K

Lumen Output

3400lm

Light Efficiency

80,95lm/W

CRI

90

Illumination Diagram



## Packing Info

## Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

