

## **Product** Datasheet

#### 14 Plafo>The Ultra Slim LED Panel Plafo

### 62018AF/W/C



18W LED slim plafo light, IP40, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.




#### Downloads



#### Dimensions





#### Gallery





#### **Physical Specification**

Item Group

#### 14 Plafo

#### Family

#### The Ultra Slim LED Panel Plafo

Order Code	62018AF/W/C
Colour	White
Material	Aluminium
Diffuser Material	PC
Shape	Rectangular



Length	220mm
Width	220mm
Height	18mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No
IK Rating	4

#### **Electrical Characteristics** Gear Built In Fitting + Driver Input Voltage 220-240V 50 Hz Yes 60 Hz Yes Safety Class Power(Watts) 18W IP Rating IP40 Light Source LED built in No Dimmable F F Mark

Fitting	
Input Type	Constant Current
IP Rating	IP40

Light Source	LED built in
LED Type	SMD 4014
LED Brand	Sanan
F Mark	F

Gear



Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	18W
Constant Current	Yes
IP Rating	IP20
Dimmable	No

#### Illumination Data

Colour Temperature	4000K
Lumen Output	1450lm
Light Efficiency	80,55lm/W
CRI	80
Illumination Diagram	

#### Packing Info

Box Length	26,5cm
Box Width	23cm
Box Height	3cm
Box Weight	0.545kg
Pcs/Carton	20
Barcode	5291889051824
HS Code	9405409900



Warranty	2 Years
Weee Directive	Yes

# switch to one light!

Certification & Warranty



