

13 Plafo>The Super Slim UGR19 Range Rectangular CCT V

62020MU/W/V



50W CCT Variable LED slim plafo.

Supplied with non-dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



050138B/W

Physical Specification

Item Group	13 Plafo
Family	The Super Slim UGR19 Range Rectangular CCT V
Order Code	62020MU/W/V
Colour	White
Material	ABS
Shape	Rectangular
Length	1200mm

Width	300mm
Height	28mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	50W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
IP Rating	IP20
Light Source	LED built in
LED Type	SMD
F Mark	

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes

60 Hz	Yes
IP Rating	IP20
Dimmable	No

Illumination Data

Colour Code	2800K-3300K-4000K
Lumen Output	3750lm
Light Efficiency	75lm/W
CRI	90
Illumination Diagram	
UGR	19

Packing Info

Box Weight	3.820kg
Pcs/Carton	5
Barcode	5291889092438
HS Code	9405114090

Certification & Warranty

Warranty	3 years
----------	---------

switch to
one light!

one
LIGHT

