



Product Datasheet

14 Plafo>The LED Plafo Range

62026D/W/C



50W LED slim plafo light, IP20, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



Physical Specification

Item Group	14 Plafo
Family	The LED Plafo Range
Order Code	62026D/W/C
Colour	White
Material	Metal
Diffuser Material	Plastic
Shape	Circular
Height	75mm
Diameter	535mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	50W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F

Input Type	Constant Current

Fitting

Power(Watts)

Input Current 430mA

Voltage 106,9V

IP Rating IP20

45,96

Light Source LED built in

LED Type SMD 2835

LED Brand Sanan

F Mark

Gear

Gear Type

Input Voltage

Led Driver

220-240V

50 Hz Yes Yes Yes

Power(Watts) 38,7-56W

Power Factor	0,9
Constant Current	Yes
Output	430mA
Voltage Range	90-130V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
llumination Data	
Colour Temperature	4000K
Lumen Output	3750lm
Light Efficiency	75lm/W
CRI	80
Illumination Diagram	
Packing Info	
Box Length	55cm
Box Width	55cm
Box Height	7,8cm
Box Weight	2.240kg
Pcs/Carton	5
Barcode	5291889069249
HS Code	9405413990

Certification & Warranty

switch to one light!

