

14 Plafo>The LED Decorative Plafo

62130L/W/W



30W LED Decorative Plafo, IP20, suitable for residential and commercial application.

Complete with 750mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads






Dimensions




Physical Specification

Item Group	14 Plafo
Family	The LED Decorative Plafo
Order Code	62130L/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	57mm
Diameter	375mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No


Gear		Built In	
Fitting + Driver			
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Safety Class			
Power(Watts)		30W	
IP Rating		IP20	
Light Source		LED built in	
Dimmable		No	
F Mark			

Fitting			
Input Type		Constant Current	
Input Current		750mA	
Voltage		38V	
Power(Watts)		28,5W	
IP Rating		IP20	
Light Source		LED built in	
LED Type		SMD 2835	
LED Brand		Bridgelux	
F Mark			

Gear			
Gear Type		Led Driver	
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Power(Watts)		20,25-30W	

Power Factor	0,9
Constant Current	Yes
750mA	27-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Output Terminal	Cable
Brand	KEGU

Illumination Data

Colour Temperature	3000K
Lumen Output	2550lm
Light Efficiency	85lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Weight	2.500kg
Pcs/Carton	1
Barcode	5291889067801
HS Code	9405413990

Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

