

discontinue>discontinueitems

## 62130N/W/W



20W LED Decorative Plafo, IP20, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads






### Dimensions




### Physical Specification

Item Group	discontinue
Family	discontinueitems
Order Code	62130N/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	80mm
Diameter	300mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No


Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	38V
Power(Watts)	19W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Bridgelux
F Mark	

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	13,5-21W

Power Factor	0,9
Constant Current	Yes
500mA	27-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Kegu

### Illumination Data

Colour Temperature	3000K
Lumen Output	1700lm
Light Efficiency	85lm/W
CRI	80
Illumination Diagram	

### Packing Info

Box Length	40cm
Box Width	40cm
Box Height	14cm
Box Weight	1.200kg
Pcs/Carton	1
Carton Length	40cm
Carton Width	40cm
Carton Height	14cm
Carton Weight	1,3Kg
Barcode	5291889056805

Warranty

3 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

