

14 Plafo>The LED Decorative Plafo Round CCT V

62132N/AN/V



CCT Variable 32W LED Decorative Plafo, IP20. Suitable for residential and commercial applications.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	14 Plafo
Family	The LED Decorative Plafo Round CCT V
Order Code	62132N/AN/V
Colour	Anthracite
Material	Aluminium
Shape	Circular
Height	132mm
Diameter	455mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear

External-Included

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

32W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

800mA

Voltage

40V

Power(Watts)

32W

IP Rating

IP20

Light Source

LED built in

LED Type

SMD 2835

F Mark



Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz


Yes

Power(Watts)


12W-33,6W

Power Factor

0,9

Constant Current	Yes
800mA	15-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	TRIDONIC

Illumination Data

Colour Temperature	2700K-3000K-4000K
Lumen Output	2720lm
Light Efficiency	85lm/W
CRI	90
Illumination Diagram	

Packing Info

Box Weight	2.400kg
Pcs/Carton	1
Barcode	5291889078128
HS Code	9405413990

Certification & Warranty

Warranty	3 years
----------	---------

Average Lifetime

36000hours L70B50

Weee Directive

Yes

switch to
one light!

one
LIGHT

