

14 Plafo>The LED Decorative Plafo Round

## 62132N/W/W



32W LED Decorative Plafo, IP20, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Physical Specification

Item Group	14 Plafo
Family	The LED Decorative Plafo Round
Order Code	62132N/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	132mm
Diameter	455mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

## Gear

## External-Included

## Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

32W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



## Fitting

Input Type

Constant Current

Input Current

800mA

Voltage

40V

Power(Watts)

32W

IP Rating

IP20

Light Source

LED built in

LED Type

SMD 2835

LED Brand

Bridgelux

F Mark



## Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz


Yes

60 Hz


Yes

Power(Watts)

26,4-35,2W

Power Factor	0,9
Constant Current	Yes
800mA	33-44V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	TRIDONIC

### Illumination Data

Colour Temperature	3000K
Lumen Output	2720lm
Light Efficiency	85lm/W
CRI	80
Illumination Diagram	

### Packing Info

Box Weight	2.800kg
Pcs/Carton	1
Barcode	5291889046790
HS Code	9405413990

### Certification & Warranty

Warranty

3 Years

Average Lifetime

30000hours

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

