

14 Plafo > Decorative Plafo

62135NA/W/W



35W LED Decorative Plafo, IP20, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.




Downloads



Dimensions



Gallery






Physical Specification

Item Group	14 Plafo
Family	Decorative Plafo
Order Code	62135NA/W/W
Colour	White
Material	Aluminium
Shape	Rectangular
Length	450mm

Width	450mm
Height	125mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics


Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	35W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	48V
Power(Watts)	33,6W
IP Rating	IP40
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar
F Mark	

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	14-37,8W
Power Factor	0,9
Constant Current	Yes
700mA	20-54V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Lifud

Illumination Data

Colour Temperature	3000K
Lumen Output	2100lm
Light Efficiency	60lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Weight	4.100kg
Pcs/Carton	1
Barcode	5291889046783
HS Code	9405413990

Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

