

16 Decorative>LED Pendant Rings

62144NB/BGL/W



50W LED Pendant, IP20 suitable for residential and commercial application.

Complete with 1200mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	16 Decorative
Family	LED Pendant Rings
Order Code	62144NB/BGL/W
Colour	Brushed Gold
Material	Metal
Shape	Circular
Height	1200mm
Diameter	610mm
Suspended Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	50W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	1200mA
Voltage	40V
Power(Watts)	48W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Bridgelux
F Mark	

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	36-50,4W

Power Factor
Constant Current
1200mA
IP Rating
Safety Class
Dimmable
Brand

0,9
Yes
30-42V
IP20

No
Kegu

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram

3000K
3000lm
60lm/W
80


Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Carton Length
Carton Width
Carton Height
Carton Weight
Barcode
HS Code

68cm
68cm
12cm
3.300kg
1
68cm
68cm
12cm
3,5Kg
5291889063377
9405413990

Certification & Warranty

switch to
one light!

one
LIGHT

