

14 Plafo>The LED Decorative Plafo

## 62144N/BBS/W



50W LED Plafo, IP20 suitable for residential and commercial application.

Complete with 1200mA driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery






### Physical Specification

Item Group	14 Plafo
Family	The LED Decorative Plafo
Order Code	62144N/BBS/W
Colour	Brushed Brass
Material	Aluminium
Shape	Circular
Height	85mm


Diameter	610mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

### Electrical Characteristics


Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	50W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	1200mA
Voltage	40V
Power(Watts)	48W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Bridgelux
F Mark	

Gear
------

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	36-50,4W
Power Factor	0,9
Constant Current	Yes
1200mA	30-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	Kegu

#### Illumination Data

Colour Temperature	3000K
Lumen Output	4250lm
Light Efficiency	85lm/W
CRI	80
Beam Angle	120°
Illumination Diagram	

#### Packing Info

Box Length	68cm
Box Width	68cm
Box Height	12cm
Box Weight	5.400kg
Pcs/Carton	1
Carton Length	68cm
Carton Width	68cm
Carton Height	12cm

Carton Weight

4,9Kg

Barcode

5291889071808

HS Code

9405413990

### Certification & Warranty

Warranty

3 years

switch to  
**one light!**

one  
LIGHT

