Product Datasheet

www.1-light.eu

14 Plafo>The LED Decorative Plafo

62144N/BBS/W

50W LED Plafo, IP20 suitable for residential and commercial application.

Complete with 1200mA driver.

Complies with standard EN60598-1 and any other specific standards.

IP20 80 CRI CE

Downloads

IES CE

Dimensions



Gallery

Physical Specification

Item Group	14 Plafo
Family	The LED Decorative Plafo
Order Code	62144N/BBS/W
Colour	Brushed Brass
Material	Aluminium
Shape	Circular
Height	85mm

Diameter	610mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	⏚
Power(Watts)	50W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Current
Input Current	1200mA
Voltage	40V
Power(Watts)	48W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Bridgelux
F Mark	F

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	36-50,4W
Power Factor	0,9
Constant Current	Yes
1200mA	30-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	Kegu

Illumination Data

Colour Temperature	3000K
Lumen Output	4250lm
Light Efficiency	85lm/W
CRI	80
Beam Angle	120°
Illumination Diagram	

Packing Info

Box Length	68cm
Box Width	68cm
Box Height	12cm
Box Weight	5.400kg
Pcs/Carton	1
Carton Length	68cm
Carton Width	68cm
Carton Height	12cm

Carton Weight	4,9Kg
Barcode	5291889071808
HS Code	9405413990

Certification & Warranty

Warranty	3 years

switch to
one light!