

Product Datasheet

18 Decorative>LED Pendant Rings

62144NB/W/W



50W LED Pendant, IP20 suitable for residential and commercial application.

Complete with 1200mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	18 Decorative
Family	LED Pendant Rings
Order Code	62144NB/W/W
Colour	White
Material	Metal
Shape	Circular
Height	1200mm

Diameter	610mm
Suspended Ceiling	Yes
Indoor	Yes
Adjustable	No



Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	50W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Current
Input Current	1200mA
Voltage	40V
Power(Watts)	48W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Bridgelux
F Mark	F

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	36-50,4W



Power Factor	0,9
Constant Current	Yes
1200mA	30-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	Kegu

Illumination Data

Colour Temperature	3000K
Lumen Output	3000lm
Light Efficiency	60lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Length	68cm
Box Width	68cm
Box Height	12cm
Box Weight	3,6Kg
Pcs/Carton	1
Carton Length	68cm
Carton Width	68cm
Carton Height	12cm
Carton Weight	3,6Kg

Barcode

HS Code

5291889056836

9405409900



Warranty	3 Years
Weee Directive	Yes

switch to one light!

Certification & Warranty



