

16 Decorative > LED Circle Rings

62156C/BBS/W



65W LED Pendant , IP20 suitable for residential and commercial application.

Complete with 1600mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads






Dimensions




Physical Specification

Item Group	16 Decorative
Family	LED Circle Rings
Order Code	62156C/BBS/W
Colour	Brushed Brass
Material	Aluminium
Shape	Circular
Height	3000mm
Diameter	1270mm
Suspended Ceiling	Yes
Indoor	Yes
Adjustable	No


Gear		Built In	
Fitting + Driver			
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Safety Class			
Power(Watts)		65W	
IP Rating		IP20	
Light Source		LED built in	
Dimmable		No	
F Mark			

Fitting			
Input Type		Constant Current	
Input Current		1600mA	
Voltage		36V	
Power(Watts)		56W	
IP Rating		IP20	
Light Source		LED built in	
LED Type		SMD 2835	
LED Brand		Bridgelux	
F Mark			

Gear			
Gear Type		Led Driver	
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Power(Watts)		44,8-57,6W	

Power Factor	0,9
Constant Current	Yes
1600mA	28-36V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	BOKE

Illumination Data

Colour Temperature	3000K
Lumen Output	4300lm
Light Efficiency	66,15lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Weight	4.600kg
Pcs/Carton	1
Carton Weight	5,7Kg
Barcode	5291889072386
HS Code	9405413990

Certification & Warranty

switch to
one light!

one
LIGHT

