

18 Decorative > LED Pendant Rings

63050/B



40W LED Pendant , IP20 suitable for residential and commercial application .

Complete with 24V driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads





Dimensions





Physical Specification


Item Group	18 Decorative
Family	LED Pendant Rings
Order Code	63050/B
Colour	Black
Material	Aluminium + Steel
Shape	Circular
Diameter	700mm
Suspended Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics


Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	40W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	40W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar
F Mark	

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	40W
Power Factor	0,9
Constant Voltage	Yes

24 V	Yes
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Anway


Illumination Data

Colour Temperature	3000K
Lumen Output	2250lm
Light Efficiency	56,25lm/W
CRI	80
Illumination Diagram	

Packing Info

Pcs/Carton	1
Barcode	5291889056614
HS Code	9405409900

Energy Label



Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

