

## 16 Decorative > LED Pendant Rings

## 63144A/W/W



40W LED Pendant, IP20 suitable for residential and commercial application.

Complete with 650mA driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Physical Specification

Item Group	16 Decorative
Family	LED Pendant Rings
Order Code	63144A/W/W
Colour	White
Material	Aluminium + Steel
Diffuser Material	Acrylic
Shape	Circular
Height	1500mm
Diameter	600mm
Suspended Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

40W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

650mA

Voltage

54V

Power(Watts)

35,1W

IP Rating

IP20

Light Source

LED built in

LED Type

SMD 2835

LED Brand

Epistar

F Mark



Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

29,9-40,3W

Power Factor	0,9
Constant Current	Yes
650mA	46-62V
IP Rating	IP20
Safety Class	
Dimmable	No

### Illumination Data

Colour Temperature	3000K
Lumen Output	4350lm
Light Efficiency	108,75lm/W
CRI	80
Illumination Diagram	

### Packing Info

Box Weight	3.300kg
Pcs/Carton	1
Barcode	5291889075899
HS Code	9405413990

### Certification & Warranty

Warranty	2 years
----------	---------

switch to  
**one light!**

**one**  
LIGHT

