

20 Industrial & Floodlights>The Industrial IP65 UFO Range CCT V & PV & BV

**63200NB/V**



200W Power Variable, CCT Variable and Beam Variable LED High Bay.

Supplied with Power Variable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	20 Industrial & Floodlights
Family	The Industrial IP65 UFO Range CCT V & PV & BV
Order Code	63200NB/V
Colour	Black
Material	Aluminium
Diffuser Material	PC
Shape	Circular
Height	160mm
Diameter	310mm
Suspended Ceiling	Yes
Indoor	Yes
Outdoor	Yes

Adjustable

No

IK Rating

9

## Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

100W/150W/200W

IP Rating

IP65

Light Source

LED built in

Dimmable

No

Cable Length

50cm

F Mark



Fitting

Light Source

LED built in

LED Type

SMD

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes


60 Hz

Yes

## Illumination Data

Colour Temperature

3000K-4000K-5000K

Lumen Output	30000lm (200W)
Light Efficiency	150lm/W
CRI	80
Beam Angle	Beam Variable - 70° / 90° / 110°
Illumination Diagram	

#### Packing Info

Box Weight	2.900kg
Pcs/Carton	1
Barcode	5291889088806
HS Code	9405413990

#### Certification & Warranty

Warranty	5 years
----------	---------

switch to  
**one light!**

one  
LIGHT

