



Product Datasheet

17 Hotel & Bedroom>Reading Spots

65146/W/W



3W LED +6W left side light bedside adjustable fitting with 2 switches, IP20.

Complete with 700mA + 150mA drivers. Complete with black, brass & white reflectors.

Complies with standard EN60598-1 and any other specific standards.




Downloads







Dimensions



Gallery



Physical Specification

Item Group	17 Hotel & Bedroom
Family	Reading Spots
Order Code	65146/W/W
Colour	White
Material	Metal + Aluminium
Shape	Rectangular
Length	300mm

Height 36mm Surface Wall Yes Indoor Yos Adjustable 2 Directions Secret 2 Directions Enterty - Driver Processor of the process	Width	50mm
Indoor Adjustable Adjustable Built In Fating + Driver Input Voltage 50 Hz Safety Class Power(Watts) IP Reting Light Source LED Type LeD built In Safety Class Prover LeD built In Safety Class Prover LeD built In LeD built I	Height	35mm
Adjustable Constant Current Constant Current	Surface Wall	Yes
Gear Gear Built In Fitting + Driver Input Voltage 220-240V 50 Hz Yes 60 Hz Yes 60 Hz Yes Sately Class Power(Watts) IP Rating Light Source LED built in Fitting Input Type Input Type Constant Current IPRating LED Type SMD 3535 Gear Gear Type Led Driver Input Voltage 220-240V ELD Driver Led Driver Input Voltage 50 Hz Led Driver Led Driver Led Driver Input Voltage 220-240V	Indoor	Yes
Gear Fitting + Driver Input Voltage 50 Hz 60 Hz Yes 60 Hz Yes 60 Hz Yes Fower(Watts) IP Rating IP20 Light Source LED built in Fitting Input Type Input Type Input Type Light Source LED built in Fitting IP20 Light Source LED built in Fitting IP20 Light Source LED built in Fitting Input Type Input Type Sonstant Current IP Rating LED built in LED Type SMD 3535 Gear Gear Type Led Driver Input Voltage 220-240V Yes	Adjustable	2 Directions
Gear Fitting + Driver Input Voltage 50 Hz 60 Hz Yes 60 Hz Yes 60 Hz Yes Fower(Watts) IP Rating IP20 Light Source LED built in Fitting Input Type Input Type Input Type Light Source LED built in Fitting IP20 Light Source LED built in Fitting IP20 Light Source LED built in Fitting Input Type Input Type Sonstant Current IP Rating LED built in LED Type SMD 3535 Gear Gear Type Led Driver Input Voltage 220-240V Yes		
Gear Fitting + Driver Input Voltage 50 Hz 60 Hz Yes 60 Hz Yes 60 Hz Yes Fower(Watts) IP Rating IP20 Light Source LED built in Fitting Input Type Input Type Input Type Light Source LED built in Fitting IP20 Light Source LED built in Fitting IP20 Light Source LED built in Fitting Input Type Input Type Sonstant Current IP Rating LED built in LED Type SMD 3535 Gear Gear Type Led Driver Input Voltage 220-240V Yes	Electrical Characteristics	
Fitting + Driver		
Input Voltage 220-240V 50 Hz Yes 60 Hz Yes Safety Class □ Power(Watts) 3W+6W IP Rating IP20 Light Source LED built in Dimmable No Fitting Fitting Input Type Constant Current IP Rating IP20 Light Source LED built in LED Type SMD 3535 Gear Gear Type Input Voltage 220-240V 50 Hz Yes	Gear	Built In
Input Voltage 220-240V 50 Hz Yes 60 Hz Yes Safety Class □ Power(Watts) 3W+6W IP Rating IP20 Light Source LED built in Dimmable No Fitting Fitting Input Type Constant Current IP Rating IP20 Light Source LED built in LED Type SMD 3535 Gear Gear Type Input Voltage 220-240V 50 Hz Yes	Fitting + Driver	
50 Hz Yes 60 Hz Yes Safety Class □ Power(Watts) 3W+6W IP Rating IP20 Light Source LED built in Dimmable No F Mark ▼ Fitting Input Type Constant Current IP Rating IP20 Light Source LED built in LED Type SMD 3535 Gear Cear Gear Type Led Driver Input Voltage 220-240V 50 Hz Yes		
60 Hz Yes Safety Class □ Power(Watts) 3W+6W IP Rating IP20 Light Source LED built in Dimmable No F Mark ▼ Input Type Constant Current IP Rating IP20 Light Source LED built in LED Type SMD 3535 Gear Led Driver Input Voltage 220-240V 50 Hz Yes	Input Voltage	220-240V
Safety Class □ Power(Watts) 3W+6W IP Rating IP20 Light Source LED built in Dimmable No F Mark ▼ Fitting Constant Current IP Rating IP20 Light Source LED built in LED Type SMD 3535 Gear Cear Gear Type Led Driver Input Voltage 220-240V 50 Hz Yes	50 Hz	Yes
Power(Watts) IP Rating Light Source Light Source Pommable Fitting Input Type Light Source LED built in Pommable IP Pating IP 20 Constant Current IP Rating IP 20 Light Source LED built in IP Rating IP 20 LED built in IP Rating IP 20 Led D built in LED Type Gear Gear Gear Type Led Driver Input Voltage 50 Hz Yes	60 Hz	Yes
IP Rating IP20 Light Source LED built in Dimmable No F Mark F Fitting Input Type Constant Current IP Rating IP20 Light Source LED built in LED Type SMD 3535 Gear Gear Gear Type Led Driver Input Voltage 100 Led Driver Led Driver 100 Led D	Safety Class	
Light Source Dimmable F Mark Fitting Input Type Constant Current IP Rating Light Source LED built in SMD 3535 Gear Gear Type Led Driver Input Voltage 50 Hz LED built in LED built in LED Type Led Driver Input Voltage 50 Hz LED built in LED Type Led Driver Input Voltage 50 Hz	Power(Watts)	3W+6W
Dimmable F Mark Fitting Input Type Input Type Constant Current IP Rating IP20 Light Source LED built in SMD 3535 Gear Gear Type Led Driver Input Voltage 220-240V 50 Hz Yes	IP Rating	IP20
Fitting Input Type Constant Current IP Rating IP20 Light Source LED built in LED Type SMD 3535 Gear Gear Type Led Driver Input Voltage 220-240V Yes	Light Source	LED built in
Fitting Input Type Constant Current IP Rating IP20 Light Source LED built in SMD 3535 Gear Gear Type Led Driver Input Voltage 50 Hz Yes	Dimmable	No
Input Type IP Rating Light Source LED built in LED Type SMD 3535 Gear Gear Type Led Driver Input Voltage 50 Hz Constant Current LED built in LED built in LED built in 200-240V Yes	F Mark	F
Input Type IP Rating Light Source LED built in LED Type SMD 3535 Gear Gear Type Led Driver Input Voltage 50 Hz Constant Current LED built in LED built in LED built in 200-240V Yes		
IP Rating Light Source LED built in LED Type SMD 3535 Gear Gear Type Led Driver Input Voltage 220-240V Yes	Fitting	
Light Source LED Type SMD 3535 Gear Gear Type Led Driver Input Voltage 220-240V Yes	Input Type	Constant Current
Gear Gear Type Led Driver Input Voltage 220-240V Yes	IP Rating	IP20
Gear Type Led Driver Input Voltage 220-240V 50 Hz Yes	Light Source	LED built in
Gear Type Led Driver Input Voltage 220-240V 50 Hz Yes	LED Type	SMD 3535
Gear Type Led Driver Input Voltage 220-240V 50 Hz Yes		
Input Voltage 220-240V 50 Hz Yes	Gear	
50 Hz Yes	Gear Type	Led Driver
	Input Voltage	220-240V
60 Hz	50 Hz	Yes
	60 Hz	Yes

Power Factor	0,5
Constant Current	Yes
150mA	0
700mA	0
IP Rating	IP20
Safety Class	
Dimmable	No
lumination Data	
Colour Temperature	3000K
Lumen Output	150lm + 420lm
CRI	90
Illumination Diagram	
acking Info	
Box Weight	0.785kg
Pcs/Carton	20
Barcode	5291889070023
HS Code	9405413990
ertification & Warranty	

2 years

switch to one light!

Warranty

