

## **Product Datasheet**

www.1-light.eu

09 Track Lights>High Power Linear Track Light

### 65168T/B/W



LED Linear adjustable track light, high lumen output ideal for shops and showrooms.

Complete with 1400mA driver.

Complies with standard EN60598-1 and any other specific standards.











Downloads









Dimensions





#### Related items







40002A/B



40003A/B

#### **Physical Specification**

Item Group	09 Track Lights
Family	High Power Linear Track Light
Order Code	65168T/B/W
Colour	Black
Material	Aluminium
Shape	Rectangular
Length	585mm

Width	138mm
Height	60mm
Track mounted	Yes
Indoor	Yes
Adjustable	1 Direction

#### Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	50W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Fitting	
Input Type	Constant Current
Input Current	1400mA
Voltage	35V
Power(Watts)	49W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Hongli
LED Number	132

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	37,8-56W
Power Factor	0,9
Constant Current	Yes
1400mA	27-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	KGP
Illumination Data	
Illumination Data	200014
Colour Temperature	3000K
Colour Temperature  Lumen Output	6250lm
Colour Temperature  Lumen Output  Light Efficiency	6250lm 125lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI	6250lm
Colour Temperature  Lumen Output  Light Efficiency	6250lm 125lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI	6250lm 125lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI	6250lm 125lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram	6250lm 125lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram	6250lm  125lm/W  80
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram  Packing Info  Box Weight	6250lm  125lm/W  80  7
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram  Packing Info  Box Weight  Pcs/Carton	6250lm  125lm/W  80  2.050kg  6
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram  Packing Info  Box Weight  Pcs/Carton  Barcode	6250lm  125lm/W  80  2.050kg  6  5291889073086

#### Certification & Warranty

# switch to one light!

