

## **Product Datasheet**

www.1-light.eu

09 Track Lights>The COB Track Light Range Aluminium

65612T/W/W



30W COB LED track spot with, ideal for shops and showrooms.

Supplied with electronic high frequency control driver as standard.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



## Gallery



## Related items



40001A/W



40002A/W



40003A/W

Physical Specification

Item Group

09 Track Lights

Family

The COB Track Light Range Aluminium

Order Code	65612T/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	120mm
Diameter	100mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions
Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes

- Ceal	
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	42V
Safety Class	
Power(Watts)	29,4W
IP Rating	IP20
Light Source	LED built in

LED Type	СОВ
LED Brand	Sanan
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	9,5-29,4W
Power Factor	0,9
Constant Current	Yes
700mA	27-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	Lifud
Protection	Short Circuit Protection
Ilumination Data	
Colour Temperature	3000K
Lumen Output	2300lm
Light Efficiency	76,67lm/W
CRI	80
Beam Angle	36°
Illumination Diagram	
Packing Info	
Box Length	27cm

Box Width	18cm
Box Height	12cm
Box Weight	1.233kg
Pcs/Carton	9
Barcode	5291889038481
HS Code	9405413990

## Certification & Warranty

Warranty 2 years



