# Product Datasheet

www.1-light.eu

## 65624T/W/C

35W track spot with COB LED, ideal for shops and showrooms.

Supplied with electronic high frequency control driver as standard.

Complies with standard EN60598-1 and any other specific standards.

IP20  80 CRI  ADJUSTABLE  CE

### Downloads

IES

CE

### Dimensions

190mm

123mm

106mm

### Gallery

### Related items

40002A/W

40003A/W

### Physical Specification

| | |
|---|---|
| Item Group | 10 Track Spots |
| Family | The COB Top Box Range |

one
LIGHT

| | |
|---|---|
| Order Code | 65624T/W/C |
| Colour | White |
| Material | Die Cast |
| Shape | Circular |
| Height | 123mm |
| Diameter | 106mm |
| Track mounted | Yes |
| Indoor | Yes |
| Adjustable | 2 Directions |

## Electrical Characteristics

| | |
|---|---|
| Gear | Built In |

### Fitting + Driver

| | |
|---|---|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class | ⏚ |
| Power(Watts) | 35W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |

### Fitting

| | |
|---|---|
| Input Type | Constant Current |
| Input Current | 900mA |
| Voltage | 38V |
| Power(Watts) | 34,2W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | COB |

| | |
|---|---|
| LED Brand | Cree |

## Gear

| | |
|---|---|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 25-50W |
| Power Factor | 0,9 |
| Constant Current | Yes |
| 900mA | 27-54V |
| IP Rating | IP20 |
| Safety Class | ▢ |
| Dimmable | No |
| Ambient Temp | 50°C |
| Operating Temp | 80°C |
| Housing Material | Plastic |
| Output Terminal | Connector |
| Brand | Philips |
| Protection | Short Circuit Protection |

## Illumination Data

| | |
|---|---|
| Colour Temperature | 4000K |
| Lumen Output | 3050lm |
| Light Efficiency | 87,14lm/W |
| CRI | 80 |
| Beam Angle | 45° |
| Illumination Diagram |  |

## Packing Info

| Box Weight | 1,6kg |
| --- | --- |
| Pcs/Carton | 12 |
| Barcode | 5291889043485 |
| HS Code | 9405409900 |

## Energy Label



## Certification & Warranty

| Warranty | 3 Years |
| --- | --- |
| Average Lifetime | 40000hours |
| Weee Directive | Yes |