

09 Track Lights>The COB Cylinder Track Light Aluminium

## 65642AT/B/C



10W track spot with COB LED, ideal for shops and showrooms.

Supplied with electronic high frequency control driver as standard.

Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery



### Related items



40001A/B



40002A/B



40003A/B

### Physical Specification

Item Group


09 Track Lights


Family

The COB Cylinder Track Light Aluminium

Order Code	65642AT/B/C
Colour	Black
Material	Aluminium
Shape	Circular
Height	147mm
Diameter	55mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions

### Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	10W
IP Rating	IP20
Light Source	LED built in
Dimmable	No


Fitting	
Input Type	Constant Current
Input Current	250mA
Voltage	38V
Safety Class	
Power(Watts)	9,5W
IP Rating	IP20
Light Source	LED built in

LED Type
LED Brand

COB
Sanan

### Gear

Gear Type
Input Voltage
50 Hz
60 Hz
Power(Watts)
Power Factor
Constant Current
250mA
IP Rating
Safety Class
Dimmable
Ambient Temp
Operating Temp
Housing Material
Output Terminal
Brand
Protection

Led Driver
220-240V
Yes
Yes
6-10W
0,9
Yes
25-40V
IP20

No
50°C
80°C
Plastic
Connector
Lifud
Short Circuit Protection

### Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

4000K
900lm
90lm/W
90
38°


### Packing Info

Box Length	22cm
Box Width	8,5cm
Box Height	8,5cm
Box Weight	0.554kg
Pcs/Carton	24
Barcode	5291889053897
HS Code	9405413990

#### Certification & Warranty

Warranty	3 years
Weee Directive	Yes

switch to  
**one light!**

one  
LIGHT

