



Product Datasheet

09 Track Lights>The COB Zoomable Cylinders

65650AT/B/W



15W adjustable beam angle COB LED track spot, ideal for shops and showrooms.

Complete with 350mA driver.

Complies with standard EN60598-1 and any other specific standards.





Downloads







Dimensions



Related items







40002A/B



40003A/B

Physical Specification

Item Group	09 Track Lights
Family	The COB Zoomable Cylinders
Order Code	65650AT/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	148mm

Diameter	55mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions
ectrical Characteristics	
	D. 201
Gear	Built In
Fitting L Driver	
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	15W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	41V
Power(Watts)	14,4W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Citizen
LED Number	1
Gear	
Gear Type	Led Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	8,75-14,7W
Power Factor	0,9
Constant Current	Yes
350mA	25-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	Powergear
vario etias Data	
umination data	
umination Data	
Colour Temperature	3000K
	3000K 1350lm
Colour Temperature	
Colour Temperature Lumen Output	1350lm
Colour Temperature Lumen Output Light Efficiency	1350lm 90lm/W
Colour Temperature Lumen Output Light Efficiency CRI	1350lm 90lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle	1350lm 90lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle	1350lm 90lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	1350lm 90lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	1350lm 90lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	1350lm 90lm/W 80 20°-60°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram acking Info Box Weight	1350lm 90lm/W 80 20°-60° 0.586kg
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram acking Info Box Weight Pcs/Carton	1350lm 90lm/W 80 20°-60° 0.586kg 15

Certification & Warranty

switch to one light!

