

# **Product Datasheet**

www.1-light.eu

## 09 Track Lights>The COB Zoomable Cylinders

# 65650T/B/W



30W COB LED adjustable beam 20°-60° Track Spot

Complete with 750mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads







Dimensions



#### Related items







40002A/B



40003A/B

#### **Physical Specification**

09 Track Lights
The COB Zoomable Cylinders
65650T/B/W
Black
Aluminium
Circular
200mm

Diameter	90mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions
Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Fitting	
Input Type	Constant Current
Input Current	750mA
Voltage	38V
Power(Watts)	28,5W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ

Input Current	750mA
Voltage	38V
Power(Watts)	28,5W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Citizen
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
one	

50 Hz	Yes
60 Hz	Yes
Power(Watts)	25-30W
Power Factor	0,9
Constant Current	Yes
750mA	33-40V
IP Rating	IP20
Safety Class	
Brand	Lifud
Illumination Data	
Colour Temperature	3000K
Lumen Output	2300lm
Light Efficiency	76,67lm/W
CRI	80
Beam Angle	20°-60°
Illumination Diagram	
Packing Info	
Box Length	27cm
Box Width	10,5cm
Box Height	10,5cm
Box Weight	1.193kg
Pcs/Carton	15
Barcode	5291889061113
HS Code	9405413990

### Certification & Warranty

# switch to one light!

