


# **Product Datasheet**

www.1-light.eu

## 09 Track Lights>Dark Light Tubes Track Lights

# 65656AT/B/W



6W SMD LED track spot with, ideal for shops and showrooms.

Complete with 150mA driver.

Complies with standard EN60598-1 and any other specific standards.









#### Downloads









#### Dimensions



#### Related items







40002A/B



40003A/B

#### **Physical Specification**

Item Group	09 Track Lights
Family	Dark Light Tubes Track Lights
Order Code	65656AT/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	66mm

Diameter	68mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions
ectrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	6W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Fitting	
Input Type	Constant Current
Input Current	150mA
Voltage	30V
Safety Class	
Power(Watts)	4,5W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 5050
LED Brand	Osram
Gear	
Gear Type	Led Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	3,75-6W
Power Factor	0,5
Constant Current	Yes
150mA	25-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	KEGU
Illumination Data	
	3000K
Colour Temperature	3000K 480lm
Colour Temperature  Lumen Output	480lm
Colour Temperature  Lumen Output  Light Efficiency	480lm 80lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI	480lm 80lm/W 90
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle	480lm 80lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram	480lm 80lm/W 90 40°
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle	480lm 80lm/W 90
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram  Dark Light	480lm 80lm/W 90 40°
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram	480lm 80lm/W 90 40°
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram  Dark Light	480lm 80lm/W 90 40°
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram  Dark Light  Packing Info	480lm 80lm/W 90 40° Yes
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram  Dark Light  Packing Info  Box Weight	480lm 80lm/W 90 40° Yes  0.303kg
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram  Dark Light  Packing Info  Box Weight  Pcs/Carton	480lm 80lm/W 90 40° Yes  0.303kg

## Certification & Warranty

# switch to one light!

