



# **Product Datasheet**

## 17 Hotel & Bedroom>Reading Spots

# 65746/W/W



3W COB LED bedside adjustable fitting, ideal for room hotel installation, IP20.

Complete with driver. Complete with black & brass reflectors.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



#### Gallery



#### **Physical Specification**

Item Group	17 Hotel & Bedroom
Family	Reading Spots
Order Code	65746/W/W
Colour	White
Material	Aluminium
Shape	Rectangular
Length	50mm

Width	22mm
Height	120mm
Surface Wall	Yes
Indoor	Yes
Adjustable	2 Directions
ectrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	4V
Safety Class	TIII>
Power(Watts)	2,8W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Samsung

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	1,75-2,8W
Power Factor	0,5
Constant Current	Yes
700mA	2,5-4v
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	Eaglrese
umination Data	
Colour Temperature	3000K
Colour Temperature  Lumen Output	3000K 150lm
Lumen Output	150lm
Lumen Output Light Efficiency	150lm 50lm/W
Lumen Output  Light Efficiency  CRI	150lm 50lm/W 90
Lumen Output  Light Efficiency  CRI  Beam Angle	150lm 50lm/W 90
Lumen Output  Light Efficiency  CRI  Beam Angle	150lm 50lm/W 90
Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram  acking Info	150lm 50lm/W 90 36°
Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram  acking Info  Box Weight	150lm/W 90 36°  0.254kg
Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram  acking Info  Box Weight  Pcs/Carton	150lm 50lm/W 90 36°  0.254kg
Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram  acking Info  Box Weight	150lm/W 90 36°  0.254kg

### Certification & Warranty

# switch to one light!

