



22 Emergency Lights>Emergency CCT V LED Plafo

67218E/W/V



15W Emergency LED plafo light, IP65, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



67218R/B

Physical Specification

Item Group	22 Emergency Lights
Family	Emergency CCT V LED Plafo
Order Code	67218E/W/V
Colour	White
Material	Plastic
Diffuser Material	Plastic
Shape	Circular

Height	95mm
Diameter	340mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No
IK Rating	10

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	15W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	180mA
Voltage	78V
Power(Watts)	14,04W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Sanan

F Mark



Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

11,16-16.02W

Power Factor

0,9

Constant Current

Yes

Output

180mA

Voltage Range

62-89V

IP Rating

IP20

Safety Class



Dimmable

No

Housing Material

Plastic

Output Terminal

Connector

Brand

One Light

Battery Capacity

1500mAh

Battery Voltage

3.2V

Operation Time

3hrs

Illumination Data

Colour Temperature

3000K-4000K-6500K

Lumen Output

1600lm

Light Efficiency

106,67lm/W

CRI

80

Illumination Diagram



Packing Info

Box Weight	1.450kg
Pcs/Carton	6
Barcode	5291889074212
HS Code	9405114090

Certification & Warranty

Warranty	3 years
----------	---------

switch to
one light!

