

## 13 Wall & Ceiling LED > Outdoor Wall Up & Down Lights

## 67362B/AN/W



9W LED wall light, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Physical Specification

Item Group	13 Wall & Ceiling LED
Family	Outdoor Wall Up & Down Lights
Order Code	67362B/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Rectangular
Length	205mm
Width	125mm
Height	60mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes

Adjustable

No

## Electrical Characteristics

Gear

Built In

### Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

9W

IP Rating

IP54

Light Source

LED built in

Dimmable

No

F Mark



### Fitting

Input Type

Constant Current

Input Current

350mA

Voltage

25V

Power(Watts)

8,85W

IP Rating

IP54

Light Source

LED built in

LED Type

SMD 3014

LED Brand

Edison

F Mark



### Gear

Gear Type


Led Driver

Input Voltage


220-240V

50 Hz

Yes

60 Hz	Yes
Power(Watts)	6-9,1W
Power Factor	0,9
Constant Current	Yes
350mA	17-26V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Eaglerise

### Illumination Data

Colour Temperature	3000K
Lumen Output	600lm
Light Efficiency	66,67lm/W
CRI	80
Illumination Diagram	

### Packing Info

Box Length	14cm
Box Width	7cm
Box Height	22,5cm
Box Weight	0.800kg
Pcs/Carton	12
Barcode	5291889040576
HS Code	9405409900

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

