

15 Plafo>The LED Slim Plafo Range Round

67368M/W/W



25W LED slim plafo with integrated motion sensor , IP54, ideal for both indoor and outdoor installation.

Sensor timer 120s

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	15 Plafo
Family	The LED Slim Plafo Range Round
Order Code	67368M/W/W
Colour	White
Material	PC
Shape	Circular
Height	42mm
Diameter	300mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

25W

IP Rating

IP54

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Power(Watts)

25W

IP Rating

IP54

Light Source

LED built in

LED Type

SMD 2835

LED Brand

Epistar

F Mark



Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

25W

Power Factor

0,9

Constant Current

Yes

IP Rating
Safety Class
Dimmable
Housing Material
Output Terminal

IP20

No
Plastic
Cable

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram


3000K
2000lm
80lm/W
80
120°


Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

31cm
31cm
6cm
1,2kg
10
5291889049876
9405104090

Energy Label



Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

