

13 Wall & Ceiling LED>The Retro Opal Range Die cast + PC

67424A/W/W



9W LED wall light, IP54, ideal for both indoor and outdoor installation.

Complete with 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group

13 Wall & Ceiling LED

Family

The Retro Opal Range Die cast + PC

Order Code

67424A/W/W

Colour

White

Material

Die Cast

Diffuser Material



PC


Shape

Rectangular

Length	160mm
Width	160mm
Height	65mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No


Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	9W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	


Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	24V
Safety Class	
Power(Watts)	8,4W
IP Rating	IP54
Light Source	LED built in

LED Type	SMD 3528
LED Brand	Edison
F Mark	

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	4,2-8,4W
Power Factor	0,5
Constant Current	Yes
350mA	12-24V
IP Rating	IP20
Safety Class	
Brand	Eaglerise
Protection	0

Illumination Data

Colour Temperature	3000K
Lumen Output	600lm
Light Efficiency	66,67lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Length	18cm
Box Width	7,5cm
Box Height	18cm
Box Weight	0.983kg

Pcs/Carton	12
Barcode	5291889053347
HS Code	9405409900

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

