

14 Plafo>The LED Project Plafo Aluminium

67438/B/W



40W LED plafo light, IP20, ideal for indoor installation.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads







Dimensions




Physical Specification

| | |
|-----------------|---------------------------------|
| Item Group | 14 Plafo |
| Family | The LED Project Plafo Aluminium |
| Order Code | 67438/B/W |
| Colour | Black |
| Material | Aluminium |
| Shape | Circular |
| Height | 120mm |
| Diameter | 355mm |
| Surface Ceiling | Yes |
| Indoor | Yes |
| Adjustable | No |


| Gear | Built In |
|------------------|---------------------------------------------------------------------------------------|
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 40W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark |  |

| Fitting | |
|---------------|---------------------------------------------------------------------------------------|
| Input Type | Constant Current |
| Input Current | 1000mA |
| Voltage | 39V |
| Safety Class |  |
| Power(Watts) | 39W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | SMD 3030 |
| LED Brand | Bridgelux |
| F Mark |  |

| Gear | |
|---------------|------------|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |

| | |
|------------------|-------------------------------------------------------------------------------------|
| Power(Watts) | 34-49W |
| Power Factor | 0,9 |
| Constant Current | Yes |
| 1000mA | 34-39V |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Housing Material | Plastic |
| Output Terminal | Connector |
| Brand | Kegu |

Illumination Data

| | |
|----------------------|---------------------------------------------------------------------------------------|
| Colour Temperature | 3000K |
| Lumen Output | 3400lm |
| Light Efficiency | 85lm/W |
| CRI | 90 |
| Illumination Diagram |  |

Packing Info

| | |
|------------|---------------|
| Box Weight | 2.200kg |
| Pcs/Carton | 1 |
| Barcode | 5291889056423 |
| HS Code | 9405409900 |

Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

