

13 Wall & Ceiling LED > The Backlight Range

67450A/W/W



7W LED Wall and Ceiling Dark light.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.




Downloads



Dimensions



Gallery





Physical Specification


Item Group	13 Wall & Ceiling LED
Family	The Backlight Range
Order Code	67450A/W/W
Colour	White
Material	ABS
Diffuser Material	PC
Shape	Rectangular

Length	150mm
Width	150mm
Height	60mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes
IK Rating	8


## Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	7W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	300mA
Voltage	20V
Power(Watts)	6W
IP Rating	IP54
Light Source	LED built in
LED Type	SMD 2835

LED Brand	Epistar
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	3,6-6W
Power Factor	0,5
Constant Current	Yes
300mA	12-20V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Eaglerise

#### Illumination Data

Colour Temperature	3000K
Lumen Output	600lm
Light Efficiency	85,7lm/W
CRI	80
Illumination Diagram	
Dark Light	Yes

#### Packing Info

Box Length	16cm
Box Width	16cm
Box Height	8cm

Box Weight	0.408kg
Pcs/Carton	24
Barcode	5291889058007
HS Code	9405114090

#### Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to  
**one light!**

one  
LIGHT

