

## **Product Datasheet**

www.1-light.eu

New 2025 Edition 3>Garden & Underwater

67470A/B/V



10W CCT Variable LED Bollard, IP65 for Garden illumination.

Supplied with non-dimmable driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads







Dimensions



Gallery



## **Physical Specification**

Item Group	New 2025 Edition 3
Family	Garden & Underwater
Order Code	67470A/B/V
Colour	Black
Material	Aluminium
Shape	Rectangular
Length	120mm

Width	80mm
Height	800mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Outdoor	Yes
Adjustable	No
IK Rating	10
Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	10W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	250mA
Light Source	LED built in
Gear	
Gear Type	Led Driver
Input Voltage	220-240V

50 Hz	Yes
60 Hz	Yes
Constant Current	Yes
Dimmable	No

## Colour Temperature 3000K-3500K-4000K Lumen Output 500Im Light Efficiency 50Im/W CRI 80 Illumination Diagram

Р	acking Info	
	Box Weight	2.650kg
	Pcs/Carton	6
	Barcode	5291889085584
_		

Certification & Warranty		
Warranty	2 Years	
Weee Directive	Yes	



