



14 Plafo>The IP65 CCT V Plafo

67498/AN/V



20W LED plafo light 3CCT, IP65, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group	14 Plafo
Family	The IP65 CCT V Plafo
Order Code	67498/AN/V
Colour	Anthracite
Material	Plastic
Diffuser Material	PC
Shape	Circular

Height	62mm
Diameter	320mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No
IK Rating	6

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	38V
Power(Watts)	19W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar

LED Number	240
F Mark	
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	12,5-21W
Power Factor	0,9
Constant Current	Yes
500mA	25-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	Eaglerise

Illumination Data

Colour Temperature	3000K-4000K-6500K
Lumen Output	1300lm
Light Efficiency	65lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Weight	1.460kg
Pcs/Carton	10
Barcode	5291889075066

HS Code

9405114090

Certification & Warranty

Warranty

2 years

switch to
one light!

