



New 2025 Edition 2>Garden & Underwater

67508A/AN/C



8W LED Bollard, IP65 for garden illumination.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions





Physical Specification

Item Group	
Family	
Order Code	
Colour	
Material	
Shape	
Height	
Surface Floor/Ground	
Outdoor	
Adjustable	
IK Rating	

New 2025 Edition 2
Garden & Underwater
67508A/AN/C
Anthracite
Die Cast
Rectangular
700mm
Yes
Yes
No
6

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	8W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	500mA
Light Source	LED built in
LED Type	SMD

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Output	500mA
Dimmable	No

Illumination Data

Colour Temperature	4000K
Lumen Output	600lm

Light Efficiency
CRI
Illumination Diagram

75lm/W

80



Packing Info

Box Weight
Pcs/Carton
Barcode
HS Code

3.400kg

2

5291889080213

9405413990

Certification & Warranty

Warranty

2 years

switch to
one light!

