

20 Garden & Underwater>Solar Path Lights

**67520A/B/W**



2,2W Solar Light with manual ON/OFF switch, Night sensor (ON/OFF) and Dimmer switch 5-100% and hybrid charging system (USB & Solar charging).

9 hours operation at 100% light intensity.

20 hours operation at 50% intensity.

Complete with 2x2200mAh lithium battery.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



050250/B

Physical Specification

Item Group

20 Garden & Underwater

Family

Solar Path Lights

Order Code

67520A/B/W

Colour


Black

Material

Die Cast

Shape	Rectangular
Length	185mm
Width	185mm
Height	500mm
Surface Wall	Yes
Surface Floor/Ground	Yes
Outdoor	Yes
Adjustable	No
IK Rating	6

## Electrical Characteristics

Gear	Built In
Fitting + Driver	
Power(Watts)	2,2W
IP Rating	IP65
Light Source	LED built in
F Mark	
Fitting	
Input Type	Constant Current
Power(Watts)	2,2W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Osram
Gear	
IP Rating	IP65
Battery Capacity	2x2200mAh
Battery Voltage	3,7V

Operation Time

9hours

Charging Time

20 hours Solar 6 hours USB

### Illumination Data

Colour Temperature

3000K

Lumen Output

150lm

Light Efficiency

68,18lm/W

CRI

80

Illumination Diagram



### Packing Info

Box Weight

3.200kg

Pcs/Carton

2

Barcode

5291889070894

HS Code

9405413990

### Certification & Warranty

Warranty

2 years

switch to  
**one light!**

one  
LIGHT

