

## **Product** Datasheet

67520/B/W

### 20 Garden & Underwater>Solar Path Lights



2,2W Solar Light with manual ON/OFF switch, Night sensor (ON/OFF) and Dimmer switch 5-100% and hybrid charging system (USB & Solar charging).

9 hours operation at 100% light intensity.

20 hours operation at 50% intensity.

Complete with 2x2200mAh lithium battery.

Complies with standard EN60598-1 and any other specific standards.



Downloads	Dimensions
IES O CE	1 300mm 1 185mm 185mm

#### Related items



050250/B

Item Group	20 Garden & Underwater
Family	Solar Path Lights
Order Code	67520/B/W
Colour	Black
Material	Die Cast



Shape	Rectangular
Length	185mm
Width	185mm
Height	300mm
Surface Wall	Yes
Surface Floor/Ground	Yes
Outdoor	Yes
Adjustable	No
IK Rating	6

#### **Electrical Characteristics**

Gear	Built In
Fitting + Driver	
Power(Watts)	2,2W
IP Rating	IP65
Light Source	LED built in
F Mark	F
Fitting	
Input Type	Constant Current
Power(Watts)	2,2W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD 2835

Gear	
IP Rating	IP65
Battery Capacity	2x2200mAh
Battery Voltage	3,7V



Operation Time	9hours
Charging Time	20 hours Solar 6 hours USB

#### Illumination Data

Colour Temperature	3000K
Lumen Output	150lm
Light Efficiency	68,18lm/W
CRI	80
Illumination Diagram	

#### Packing Info

Box Weight	2.500kg
Pcs/Carton	4
Barcode	5291889070924
HS Code	9405413990

Certification & Warranty		
Warranty	2 years	

# switch to one light!



