

18 Wall Recessed & Inground>Outdoor Dark Light Wall Recessed CCT V

68068/AN/V



3W CCT Variable LED wall recessed light.

Complete with non-dimmable driver.

Supplied with box for concrete installation.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	18 Wall Recessed & Inground
Family	Outdoor Dark Light Wall Recessed CCT V
Order Code	68068/AN/V
Colour	Anthracite
Material	Aluminium
Shape	Circular
Height	35mm
Diameter	114mm
Cutout Hole Diameter	110mm Concrete 100mm Gypsum
Recessed wall	Yes
Depth Required	60mm
Indoor	Yes

Outdoor Yes

Adjustable No

Electrical Characteristics

Gear Built In

Fitting + Driver

Input Voltage 220-240V

50 Hz Yes

60 Hz Yes

Safety Class 

Power(Watts) 3W

IP Rating IP65

Light Source LED built in

Dimmable No

F Mark 

Fitting

Input Type Constant Current

Light Source LED built in

LED Type SMD

F Mark 

Gear

Gear Type Led Driver

Input Voltage 220-240V


50 Hz Yes

60 Hz Yes

Output 350mA

Protection 0

Illumination Data

Colour Code	2200K-2700K-3000K-4000K
Lumen Output	300lm
Light Efficiency	100lm/W
CRI	80
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	
Box Width	
Box Height	
Box Weight	
Pcs/Carton	
Barcode	

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

