

18 Wall Recessed & Inground>Outdoor Dark Light Wall Recessed CCT V

68068/W/V



3W CCT Variable LED wall recessed light.

Complete with non-dimmable driver.

Supplied with box for concrete installation.

Complies with standard EN60598-1 and any other specific standards.



#### Downloads



#### Dimensions



#### Physical Specification

Item Group	18 Wall Recessed & Inground
Family	Outdoor Dark Light Wall Recessed CCT V
Order Code	68068/W/V
Colour	White
Material	Aluminium
Shape	Circular
Height	35mm
Diameter	114mm
Cutout Hole Diameter	110mm Concrete 100mm Gypsum
Recessed wall	Yes
Depth Required	60mm
Indoor	Yes

Outdoor Yes

Adjustable No

## Electrical Characteristics

Gear

Built In

### Fitting + Driver

Input Voltage 220-240V

50 Hz Yes

60 Hz Yes


Safety Class 

Power(Watts) 3W

IP Rating IP65

Light Source LED built in

Dimmable No

F Mark 

### Fitting

Input Type Constant Current

Light Source LED built in

LED Type SMD

F Mark 

### Gear

Gear Type Led Driver

Input Voltage 220-240V


50 Hz Yes

60 Hz Yes

Output 350mA

Protection 0

## Illumination Data

Colour Code	2200K-2700K-3000K-4000K
Lumen Output	300lm
Light Efficiency	100lm/W
CRI	80
Illumination Diagram	
Dark Light	Yes

## Packing Info

Box Length	
Box Width	
Box Height	
Box Weight	
Pcs/Carton	
Barcode	

## Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to  
**one light!**

one  
LIGHT

