


19 Wall Recessed & Inground > Indoor Decorative Wall Recessed

68070A/AL/W



1W Wall Recessed LED Dark Light, IP20.

Requires 350mA driver.

Driver can not pass through cutout hole.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89004



Physical Specification

|            |                                 |
|------------|---------------------------------|
| Item Group | 19 Wall Recessed & Inground     |
| Family     | Indoor Decorative Wall Recessed |
| Order Code | 68070A/AL/W                     |
| Colour     | Aluminium                       |
| Material   | Die Cast                        |
| Shape      | Circular                        |


|                      |      |
|----------------------|------|
| Height               | 35mm |
| Diameter             | 25mm |
| Cutout Hole Diameter | 20mm |
| Recessed wall        | Yes  |
| Depth Required       | 45mm |
| Indoor               | Yes  |
| Adjustable           | No   |

## Electrical Characteristics

### Fitting

|               |                                                                                       |
|---------------|---------------------------------------------------------------------------------------|
| Input Type    | Constant Current                                                                      |
| Input Current | 350mA                                                                                 |
| Safety Class  |  |
| Power(Watts)  | 1W                                                                                    |
| IP Rating     | IP20                                                                                  |
| Light Source  | LED built in                                                                          |
| LED Brand     | Cree                                                                                  |
| Cable Length  | 40cm                                                                                  |
| F Mark        |  |


## Illumination Data

|                      |                                                                                       |
|----------------------|---------------------------------------------------------------------------------------|
| Colour Temperature   | 3000K                                                                                 |
| Lumen Output         | 60lm                                                                                  |
| Light Efficiency     | 60lm/W                                                                                |
| CRI                  | 80                                                                                    |
| Illumination Diagram |  |
| Dark Light           | Yes                                                                                   |

## Packing Info

|            |               |
|------------|---------------|
| Box Length | 5cm           |
| Box Width  | 5cm           |
| Box Height | 4cm           |
| Pcs/Carton | 100           |
| Barcode    | 5291889061861 |
| HS Code    | 9405409900    |

## Energy Label



## Certification & Warranty

|                |         |
|----------------|---------|
| Warranty       | 2 Years |
| Weee Directive | Yes     |

switch to  
**one light!**

**one**  
LIGHT

