

19 Wall Recessed & Inground>The Glass Face Recessed Lights

68076A/B/W



4W Glass SMD LED recessed wall light, IP65.

AC LED


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification



Item Group	19 Wall Recessed & Inground
Family	The Glass Face Recessed Lights
Order Code	68076A/B/W
Colour	Black
Material	Glass
Shape	Rectangular
Length	190mm
Width	80mm
Height	36mm
Cutout Hole Width	115mm
Cutout Hole Length	70mm
Recessed wall	Yes

Depth Required	55mm
Indoor	Yes
Outdoor	Yes
Adjustable	No


Electrical Characteristics

Gear	No
------	----

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	4W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	270lm
Light Efficiency	67,5lm/W
CRI	80
Beam Angle	36°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Weight	0.491kg
------------	---------

Pcs/Carton	12
Barcode	5291889062325
HS Code	9405115000

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

