


19 Wall Recessed & Inground>The Inground Mini Series Natural Aluminium

**69042A/AL/W**



1W LED inground, IP67, aluminium, for path illumination.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89004



89004T

## Physical Specification

Item Group	19 Wall Recessed & Inground
Family	The Inground Mini Series Natural Aluminium
Order Code	69042A/AL/W
Colour	Aluminium
Material	Natural Aluminium
Diffuser Material	Glass
Shape	Circular
Height	53mm
Diameter	37mm
Cutout Hole Diameter	30mm decking 35mm concrete
Inground	Yes
Depth Required	80mm deck 95mm+300mm drainage Concrete
Indoor	Yes
Outdoor	Yes
Adjustable	No
IK Rating	8

## Electrical Characteristics

## Fitting

Input Type	Constant Current
Input Current	350mA
Voltage	3,1V
Safety Class	
Power(Watts)	1W
IP Rating	IP67
Light Source	LED built in
LED Brand	Osram
LED Number	1

Cable Length

200cm

F Mark



## Illumination Data

Colour Temperature

3000K

Lumen Output

30lm

Light Efficiency

30lm/W

CRI

90

Illumination Diagram



## Packing Info

Box Length

6,5cm

Box Width

5cm

Box Height

10,5cm

Box Weight

0.202kg

Pcs/Carton

50

Barcode

5291889045250

HS Code

9405413990

## Certification & Warranty

Warranty

2 years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

