

21 Industrial & Floodlights>The LED High Power Box Aluminium

7058A/W/V



Power and CCT adjustable high power box. IP65.

Ideal for petrol stations, showrooms & warehouses.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	21 Industrial & Floodlights
Family	The LED High Power Box Aluminium
Order Code	7058A/W/V
Colour	White
Material	Aluminium
Shape	Rectangular
Length	370mm
Width	370mm
Height	65mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes

IK Rating

8

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

36W / 60W / 90W / 120W

IP Rating

IP65

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Power(Watts)

36W / 60W / 90W / 120W

IP Rating

IP65

Light Source

LED built in

LED Type

SMD 2835

F Mark



Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

120W

Power Factor

0,9

IP Rating

IP42



Illumination Data

Colour Temperature	3000K-4000K-5000K
Lumen Output	18000 lm (120w)
Light Efficiency	150lm/W
CRI	80
Beam Angle	120°
Illumination Diagram	

Packing Info

Box Weight	4.800kg
Pcs/Carton	1
Barcode	5291889077503
HS Code	9405413990

Certification & Warranty

Warranty	5 years
----------	---------

switch to
one light!

one
LIGHT

