

08 Strips & Profiles > The 19,2W/m Indoor 24V

7825/EW



Flexible LED light strip, with SMD2835 LEDs, 140LEDs/meter, 19,2W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 5cm (7-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions




Gallery



Accessories



7835P





7837

Physical Specification

Item Group	08 Strips & Profiles
Family	The 19,2W/m Indoor 24V
Order Code	7825/EW
Shape	Rectangular
Length	5000mm
Width	10mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	19,2W/m
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Refond
LED Number	140LEDs/m
F Mark	

Illumination Data

Colour Temperature	2700K
Lumen Output	1536lm/m
Light Efficiency	80lm/W

CRI

90

Illumination Diagram



Packing Info

Box Length

24cm

Box Width

21,5cm

Box Height

2cm

Box Weight

0.212kg

Pcs/Carton

40


Barcode

5291889054412

HS Code

9405499090

Energy Label



Energy Class

F

Certification & Warranty

Warranty

5 years

switch to
one light!

one
LIGHT

