08 Strips & Profiles>The 14,4W/m CRI97 Indoor 24V Full spectrum

7835C/W

Full Spectrum CRI97 Flexible LED light strip, with SMD2835 LEDs, 70LEDs/meter, 14,4W/meter.Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 10cm (7-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.

IP20 — 97 CRI — DIMMABLE — CE

Downloads

IES

Dimensions

Cut every 10cm
(7-LED segment)

10mm

Gallery

Accessories

7835P

7837

20030

Physical Specification

Item Group	08 Strips & Profiles
Family	The 14,4W/m CRI97 Indoor 24V Full spectrum
Order Code	7835C/W
Shape	Rectangular
Length	5000mm
Width	10mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	⟨III⟩
Power(Watts)	14,4W/m
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Refond
LED Number	80LEDs/m
F Mark	F

Illumination Data

Colour Temperature	3000K
Lumen Output	1512lm/m
Light Efficiency	105lm/W
CRI	97
Illumination Diagram	

Packing Info

Box Length	24cm
Box Width	21,5cm
Box Height	2cm
Box Weight	0.200kg
Pcs/Carton	40
Barcode	5291889048817
HS Code	9405499090

Energy Label

Energy Class	E

Certification & Warranty

ONE
LIGHT

switch to
one light!

one
LIGHT