


08 Strips & Profiles > The Ultra Slim Range 24V

7843/W



Flexible COB LED light strip, 480LEDs/meter, 4W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 5cm.

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



20030

Physical Specification

Item Group	08 Strips & Profiles
Family	The Ultra Slim Range 24V
Order Code	7843/W
Shape	Rectangular
Length	5000mm
Width	4mm
Surface Ceiling	Yes

Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Electrical Characteristics

Fitting


Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	4W/m
IP Rating	IP20
Light Source	LED built in
LED Type	COB
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	410lm/m
Light Efficiency	102,5lm/W
CRI	90
Illumination Diagram	

Packing Info

Box Weight	0.116kg
Pcs/Carton	50
Barcode	5291889072645
HS Code	9405499090



Energy Class

E

Certification & Warranty

Warranty

5 years

switch to
one light!

one
LIGHT

