



Flexible LED light strip, with SMD2216 LEDs, 280LEDs/meter, 24W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 2,5cm (7-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group	08 Strips & Profiles
Family	The 24W/m Indoor 24V
Order Code	7845/W
Shape	Rectangular
Length	5000mm
Width	10mm
Surface Ceiling	Yes



Surface Wall
Surface Floor/Ground
Indoor

Yes
Yes
Yes

Electrical Characteristics


Fitting

Input Type
Input Voltage
Safety Class
Power(Watts)
IP Rating
Light Source
LED Type
LED Brand
LED Number
F Mark

Constant Voltage
24V DC

24W/m
IP20
LED built in
SMD 2216
Refond
280LEDs/m


Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram

3000K
2200lm/m
91,67lm/W
90



Packing Info

Box Length
Box Width
Box Height
Box Weight

24cm
21,5cm
2cm
0.202kg

Pcs/Carton	40
Barcode	5291889052357
HS Code	9405499090

Energy Label



Energy Class	F
--------------	---

Certification & Warranty

Warranty	5 years
----------	---------

switch to
one light!

one
LIGHT

